

RSI CHECKLIST

Oxygenate – consider NC at 15 LPM

BVM with mask connected to O₂

Suction ready and on under right shoulder

Monitor: ECG on

Monitor: SpO₂ onMonitor: EtCO₂ ready

IV/IO ready and working

IVF (NSS) connected

BP cuff on opposite arm as IV

OPA/NPA

Laryngoscope

Bougie

ETT with 10cc syringe

King Airway

OG tube

Toomey syringe

Tube holder

Cricothyroidomy equipment

RSI MED CHECKLIST

Etomidate (Amidate) 0.3 mg/kg TBW (round to 10mg for adults)

OR

Ketamine 2 mg/kg IBW (round to 50 mg for adults)

Succinylcholine 1.5 mg/kg TBW (round to nearest 50 mg for adults)

IF CONTRAINDICATED:

Rocuronium 1 mg/kg IBW (round to nearest 20 mg for adults)

POST INTUBATION MED CHECKLIST

Fentanyl 100 mg once then 50 mg q5 min

Midazolam (Versed) up to 5 mg q5 min, prn

OR

Ketamine up to 100 mg q 5 min, prn

AIR MEDICAL ONLY: Vecuronium up to 10 mg q 30 min, prn

MISSED AIRWAY

Change something

King Airway

BLS Airway

State, "Can't Intubate, Can't Ventilate"

Cricothyroidotomy

- Scalpel

-Finger

-Bougie

- 6.0 ETT

- Confirm Placement